


Your competition just filed a patent application



[Log Out](#)
[Order Form](#)
[Work Files](#)
[View Cart](#)

[About Delphion](#)
[Products](#)
[News & Events](#)
[My Account](#)
[IP 2](#)

[Browse Codes](#)
[IP Listings](#)
[Prior Art](#)
[Derwent](#)
[Advanced](#)
[Boolean](#)

The Delphion
Integrated
View

Other Views:
[INPADOC](#) | [Derwent...](#)

Title: **JP7137140A2: INDUCTION HEATER**

Country: **JP Japan**
Kind: **A**

Inventor(s): **NAKAHARA TSUTAE**
WATANABE IKUJI

Applicant/Assignee: **ADOHEYA SANSHO KK**
YUASA TSUSHINKI KOGYO KK
[News, Profiles, Stocks and More about this company](#)

Issued/Filed Dates: **May 30, 1995 / Nov. 16, 1993**

Application Number: **JP1993000311128**

IPC Class: **B29C 65/50; B29C 65/36; B29C 65/40; C09J 5/06;
H05B 6/06; B29L 31/58;**

Priority Number(s): **Nov. 16, 1993 JP1993000311128**

Abstract:




Purpose: To prevent breakdown of an output circuit from occurring owing to abnormal high voltage in an induction heater for melting an adhesive by induction heating of a conductive base material of an adhesive tape when end parts of a plurality of carpets laid on a floor are bonded to each other by using the adhesive tape so structured that a hot melt type adhesive is applied onto a surface of the conductive base material.
Constitution: An overvoltage protective circuit 14 which stops oscillation of an oscillating circuit 8 when back electromotive force generated in a heating coil L becomes at least a specific value, and an overcurrent protective circuit 15 which intercepts output of the oscillating circuit 8 to the output transistor when a current flowing to the output transistor of an output circuit 10 becomes at least a specific value, are incorporated into an apparatus body to prevent breakdown of the output transistor from occurring owing to abnormal high voltage and overcurrent.
COPYRIGHT: (C)1995,JPO

Family: [Show known family members](#)

Other Abstract Info: **DERABS C95-227939 DERC95-227939**

Foreign References: **No patents reference this one**



[View Image](#)

1 page

9

10

面図である。


【符号の説明】

- 1 床面
- 2 カーベット
- 3 接着テープ
- 4 誘導加熱装置
- 5 導電性基材
- 6 接着剤層
- 8 発振回路
- 9 ドライブ回路


- 10 出力回路
- 11 主電源回路
- 12 低電圧電源回路
- 13 出力調整回路
- 14 過電圧保護回路
- 15 過電流保護回路
- 16 表示回路
- Q5 出カトランジスタ
- L 加熱コイル

10


【図1】




【図3】




【図4】




【図5】




【図6】



【図7】



【図2】



(8)

特開平7-137140

フロントページの続き

(51)Int. Cl.⁶

// B 2 9 L 31:58

識別記号

庁内整理番号

F I

技術表示箇所